

Kenyon's Grist Mill Block


Celebrating Rhode Island

This block is a combination of traditional paper pieced parts and fused applique details. The design uses 8"x8" (or much smaller) fabric pieces in the following colors: red (walls), light blue (sky), black (roof), tan (ground), dark grey (foundation), and white (windows/doors)


1) Trace the parts on the "Applique Pieces" page onto the paper side of double sided fusible webbing and iron on to white fabric. Cut the pieces out and remove the paper backing. Be sure to do this before cutting out the patterns on the reverse of the sheet (if printed double sided)

2) Cut fabric pieces in the quantities and colors as shown on the "Cut Pieces" page


3) Sew the Blocks G (2 block Black/Lt Blue, 1 block Red/Lt Blue) using the "Making Half Square Triangle" process to make 4 blocks in the following combinations: 3 black/light Blue, 1 red/light blue - trim tails and square to 1"x1"



4) Sew and press piece A to two of the light blue/black squares as shown:




5) Sew and press the strip made in Step 4 to piece C as shown:




Making Half Square Triangles


- 1) Match squares right sides together
- 2) Draw a diagonal line across the square



- 3) Stitch a scant 1/4" seam to each side of the diagonal line




- 4) Cut across the diagonal line




- 5) Press seam open to the darker side, trim to size


6) Sew and press black square D to black/light blue triangle square as shown:




7) Sew and press the assembly made in Step 6 to piece F as shown:




8) Sew and press the assembly made in Step 7 to piece B as shown:




9) Sew and press grey square D to red square D and light blue/red triangle as shown:



10) Sew and press assembly made in 9 to piece F as shown:



11) Sew and press assemblies made in steps 8 and 10 to assembly made in Step 4 as shown:




12) Sew and press pieces E to each side of the assembly made in 11 as shown in Complete Block Assembly







13) Sew and press light blue piece H to the top and tan piece H to the bottom of the assembly made in Step 12 as shown in the Complete Block Assembly

14) Layout and iron in place the applique pieces as shown in the finished block diagram, hand or machine stitch in place as shown in Complete Block Assembly with Applique. Stitch around the applique pieces by hand or machine using a blanket stitch or something similar


Cut Pieces



1" Squares
Cut 1—Red
Cut 1—Grey
Cut 1—Black




1.5" Squares to make triangles
Cut 1—Red
Cut 3—Lt. Blue
Cut 2—Black




Applique Pieces (shown actual size)


Windows (6 pcs 0.5" x 0.375" (1/2" x 3/8")) - White




Door 1 (1 pc 0.75" x 0.375" (3/4" x 3/8")) White




Door 2 (1 pc 0.75" x 0.5" (3/4" x 1/2")) White



Signs (1 pc 0.125" x 0.75" (1/8" x 3/4")) White
(1 pc 0.125" x 0.5" (1/8" x 1/2")) White



Complete Block Assembly



Complete Block Assembly with Applique

